

- Complete and balanced nutrition, in accordance with fish nutritional requirements
- Strengthening the juvenile fish against disease and environmental stress
- Faster growth, lower feed conversion ratio (FCR) and amelioration of immunity
- Higher survival rate with ensuring the optimal growth

Declaration

Features	Unit	SFM0	SFM1	SFM2	SFM3	SFM4
Pellet size	mm	0.3-0.7	0.7-1.2	1.3	1.7	2.2
Crude protein	% ±2	44	44	44	44	44
Digestible energy	Kcal/Kg ±200	4100	4100	4100	4100	4100
Crude fat	% Max	18	18	18	18	18
Crude fiber	% Max	7	7	7	7	7
Ash	% Max	14	14	14	14	14
Phosphorus	% Min	1	1	1	1	1
Moisture	% Max	10	10	10	10	10

Feeding guides

Fish weight (g)	0.1-0.5	0.5-1	1-2	2-5	5-15
Feed	SFM0	SFM1	SFM2	SFM3	SFM4
Temperature C°					
18	3.25	2.7	1.21	0.91	0.74
20	4.55	3.78	2.42	1.83	1.48
22	5.85	4.85	3.63	2.74	2.22
24	7.15	5.93	4.84	3.66	2.96
26	8.46	7.01	5.41	4.09	3.31
28	10.41	8.63	5.81	4.39	3.55
30	12.36	10.25	5.85	4.42	3.58
32	12.2	10.05	5.24	3.95	3.2
34	11.06	9.17	5.32	2.66	2.15
n. of meals	8-10	8-10	6-8	6-8	4-6

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com

- Complete and balanced Feed, in accordance with fish nutritional requirements
- Developed to higher growth rate with lower feed conversion ratio
- Shorter grow-out phase resulting higher economic profit
- Boosted with immune-stimulating ingredients to promote the immune system

Declaration

Features	Unit	GFM1	GFM2
Pellet size	mm	3	4
Crude protein	% ±2	42	42
Digestible energy	Kcal/Kg ±200	4200	4200
Crude fat	% Max	18	18
Crude fiber	% Max	6	6
Ash	% Max	14	14
Phosphorus	% Min	1	1
Moisture	% Max	10	10

Feeding guides

Fish weight (g)	15-40	40-80
	GFM1	GFM2
Temperature C°		
18	3.3	2.3
20	3.4	2.4
22	3.5	2.5
24	3.7	2.6
26	3.8	2.7
28	3.9	2.8
30	3.9	2.8
32	3.9	2.8
34	3.8	2.7
n. of meals	3	3

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com

- Complete and balanced Feed, in accordance with fish nutritional requirements
- Developed to higher growth rate with lower feed conversion ratio
- Shorter grow-out phase resulting higher economic profit
- Boosted with immune-stimulating ingredients to promote the immune system

Declaration

Features	Unit	FFM1	FFM2	FFM3
Pellet size	mm	5	6.5	8.5
Crude protein	% ±2	40	40	40
Digestible energy	Kcal/Kg ±200	4200	4200	4200
Crude fat	% Max	18	18	18
Crude fiber	% Max	6	6	6
Ash	% Max	14	14	14
Phosphorus	% Min	1	1	1
Moisture	% Max	10	10	10

Feeding guides

Fish weight (g)	80-250	250-500	500>
Feed	FFM1	FFM2	FFM3
Temperature C°			
18	1.6	1.1	0.8
20	1.7	1.2	0.9
22	1.7	1.2	1
24	1.8	1.3	1
26	1.9	1.4	1.1
28	2	1.4	1.1
30	2.1	1.5	1.2
32	2	1.4	1.1
34	1.9	1.3	1
n. of meals	3	3	3

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com