

- Complete and balanced nutrition, in accordance with fish nutritional requirements
- Higher survival rate with ensuring the optimal growth
- Strengthening the juvenile fish against disease and environmental stress
- Faster growth, lower feed conversion ratio (FCR) and reduction of fecal waste

Declaration

Features	Unit	SFTi0	SFTi1	SFTi2
Pellet size	mm	0.4-1.2	1.7	2.2
Crude protein	% ±2	40	40	40
Digestible energy	Kcal/Kg ±200	3600	3600	3600
Crude fat	% Max	14	14	14
Crude fiber	% Max	7	7	7
Ash	% Max	14	14	14
Phosphorus	% Min	1	1	1
Moisture	% Max	10	10	10

Feeding guides

Fish weight (g)	0/003-0/5	0/5-8	8-20
Feed	SFTi0	SFTi1	SFTi2
Temperature C°			
14-17	According to Fish Appetite		
17-19	2.1	1.7	1.4
19-21	3.1	2.4	1.9
21-23	4.4	3.4	2.7
23-25	5.5	4.2	3.3
25-27	6.3	4.9	3.8
27-29	8.5	6.5	5
29-31	7.9	6.1	4.7
31-33	4.5	3.5	2.7
33-35	1.9	1.5	1.2
35<	According to Fish Appetite and Dissolved Oxygen		
n. of meals	10<	8-10	8-10

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com

- Complete and balanced nutrition, in accordance with fish nutritional requirements
- Boosted with immune-stimulating ingredients to promote the immune system's reactions
- Increase of growth rate, decrease of feed conversion ratio (FCR) and reduction of cultivation period
- Contain high levels of vitamins, minerals immunostimulants and phospholipids to resist environmental changes

Declaration

Features	Unit	GFTi1	GFTi2
Pellet size	mm	3	4
Crude protein	% ±2	36	36
Digestible energy	Kcal/Kg ±200	3600	3600
Crude fat	% Max	16	16
Crude fiber	% Max	7	7
Ash	% Max	14	14
Phosphorus	% Min	1	1
Moisture	% Max	10	10

Feeding guides

Fish weight (g) Temperature C°	20-50	50-100
	GFTi1	GFTi2
14-17	According to Fish Appetite	
17-19	1	0.85
19-21	1.3	1.1
21-23	1.8	1.4
23-25	2.2	1.6
25-27	2.9	2
27-29	3.8	2.5
29-31	3.6	2.4
31-33	2.1	1.4
33-35	0.9	0.6
35<	According to Fish Appetite and Dissolved Oxygen	
n. of meals	6	5

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com

- Complete and balanced nutrition, in accordance with fish nutritional requirements
- Boosted with immune-stimulating ingredients to promote the immune system's reactions
- Reduction of feed conversion ratio (FCR) and achievement of higher weights in shorter time
- High digestibility, Reduction of waste and maintaining water quality

Declaration

Features	Unit	FFTi1	FFTi2	FFTi3
Pellet size	mm	5	6.5	8
Crude protein	% ±2	34	34	34
Digestible energy	Kcal/Kg ±200	3600	3600	3600
Crude fat	% Max	16	16	16
Crude fiber	% Max	7	7	7
Ash	% Max	14	14	14
Phosphorus	% Min	1	1	1
Moisture	% Max	10	10	10

Feeding guides

Fish weight (g) Temperature C° \ Feed	100-300	300-500	500<
	FFTi1	FFTi2	FFTi3
14-17	According to Fish Appetite		
17-19	0.8	0.8	0.75
19-21	1	0.9	0.85
21-23	1.2	1	0.9
23-25	1.3	1.1	1
25-27	1.6	1.3	1.12
27-29	1.9	1.5	1.3
29-31	1.8	1.35	1.2
31-33	1.1	1	0.9
33-35	0.5	0.5	0.5
35<	According to Fish Appetite and Dissolved Oxygen		
n. of meals	4	3	3

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com