

- Complete and balanced nutrition, in accordance with fish nutritional requirements
- Strengthening the juvenile fish against disease and environmental stress
- Faster growth, lower feed conversion ratio (FCR) and reduction of fecal waste
- Higher survival rate with ensuring the optimal growth

Declaration

Features	Unit		SFT00	SFT0	SFT1	SFT2	SFT3	SFT4
Pellet size	mm		0.25-0.4	0.4-0.7	0.7-1.2	1.3	1.7	2.2
Crude protein	%	±2	44	44	44	44	44	44
Digestible energy	Kcal/Kg	±200	4100	4100	4100	4100	4100	4100
Crude fat	%	Max	18	18	18	18	18	18
Crude fiber	%	Max	5	5	5	5	5	5
Ash	%	Max	14	14	14	14	14	14
Phosphorus	%	Min	1	1	1	1	1	1
Moisture	%	Max	10	10	10	10	10	10

Feeding guides

Fish weight (g)	Feed Temperature C°	>0/25	0/25-0.7	0.7-2	2-6	6-10	10-15
		SFT00	SFT0	SFT1	SFT2	SFT3	SFT4
6-8		3.8	2.8	2.4	2	1.8	1.6
8-10		4.7	4.1	3.4	2.8	3.3	2.3
10-12		5.9	5.1	4.2	3.6	2.6	3
12-14		7.2	6.1	5.2	4.5	4.3	4.1
14-16		7.5	6.2	5.1	4.7	4.5	4.2
16-18		6.2	5	4.2	3.7	3.5	3.1
18-20		5.5	4.4	3.7	3.2	3.1	2.8
n. of meals		10-12	9-11	8-10	7-8	6-7	6-7

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com

- Complete and balanced nutrition, in accordance with fish nutritional requirements
- Developed to higher growth rate with lower feed conversion ratio
- Reduction of waste, maintaining water quality more intensive culture
- Boosted with immune-stimulating ingredients to promote the immune system

Declaration

Features	Unit	GFT1	GFT2
Pellet size	mm	3	4
Crude protein	% ±2	42	42
Digestible energy	Kcal/Kg ±200	4200	4200
Crude fat	% Max	18	18
Crude fiber	% Max	6	6
Ash	% Max	14	14
Phosphorus	% Min	1	1
Moisture	% Max	10	10

Feeding guides for Optimal FCR

Fish weight (g)	15-30	30-70
Feed	GFT1	GFT2
Temperature C°		
8-10	1.1	1.1
10-12	1.4	1.4
12-14	1.6	1.6
14-16	1.7	1.7
16-18	1.6	1.6
18-20	1.5	1.5
n. of meals	4-5	4-5

Feeding guides for Maximum growth

Fish weight (g)	15-30	30-70
Feed	GFT1	GFT2
Temperature C°		
8-10	1.9	1.9
10-12	2.5	2.5
12-16	3.4	3.4
16-18	3.2	3.2
18-20	2.2	2.2
n. of meals	4-5	4-5

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com

- Complete and balanced nutrition, in accordance with fish nutritional requirements
- Developed to higher growth rate with lower feed conversion ratio
- Reduction of waste, maintaining water quality more intensive culture
- Boosted with immune-stimulating ingredients to promote the immune system

Declaration

Features	Unit	FFT1	FFT2	FFT3
Pellet size	mm	5	7.5	9.5
Crude protein	% ±2	38	38	38
Digestible energy	Kcal/Kg ±200	4200	4200	4200
Crude fat	% Max	18	18	18
Crude fiber	% Max	6	6	6
Ash	% Max	14	14	14
Phosphorus	% Min	1	1	1
Moisture	% Max	10	10	10

Feeding guides for Optimal FCR

Fish weight (g)	70-200	200-500	< 500
Feed	FFT1	FFT2	FFT3
Temperature C°			
6-8	0.7	0.5	0.42
8-10	1	0.7	0.6
10-12	1.3	1	0.9
12-14	1.5	1.3	1.2
14-16	1.5	1.3	1.2
16-18	1.2	1	0.9
18-20	1.1	0.8	0.7
n. of meals	3-4	3-4	3-4

Feeding guides for Maximum growth

Fish weight (g)	70-200	200-500	< 500
Feed	FFT1	FFT2	FFT3
Temperature C°			
8-10	1.6	1.4	1
10-12	2	1.7	1.3
12-14	2.2	1.9	1.5
14-16	2.5	2.1	1.6
16-18	2.3	1.9	1.5
18-20	1.6	1.4	1
n. of meals	3-4	3-4	3-4

- All the values in the chart are indicative and should be adapted according to current farming conditions and production strategy
- Feeding advice is expressed in % biomass/day

Address:

Unit 4, No 29, Parcham St, Tohid Sq, Tehran, Iran
Tel: +98-021-66561803

Factory address:

kowsar industrial estate, Eshtehard, Alborz, Iran
www.btagro.com